Simplified field tables

BMI-for-age GIRLS Birth to 2 years (percentiles) World Health Organization						
Year: Month	Months	3rd	15th	Median	85th	97th
0: 0	0	11.2	12.1	13.3	14.7	15.9
0: 1	1	12.1	13.2	14.6	16.1	17.3
0: 2	2	13.2	14.3	15.8	17.4	18.8
0: 3	3	13.7	14.9	16.4	18.0	19.4
0: 4	4	14.0	15.2	16.7	18.3	19.8
0: 5	5	14.2	15.3	16.8	18.5	20.0
0: 6	6	14.3	15.4	16.9	18.6	20.1
0: 7	7	14.3	15.4	16.9	18.6	20.1
0: 8	8	14.3	15.4	16.8	18.5	20.0
0: 9	9	14.2	15.3	16.7	18.4	19.9
0:10	10	14.1	15.2	16.6	18.2	19.7
0:11	11	14.0	15.1	16.5	18.1	19.6
1: 0	12	13.9	15.0	16.4	17.9	19.4
1: 1	13	13.8	14.8	16.2	17.8	19.2
1: 2	14	13.7	14.7	16.1	17.7	19.1
1: 3	15	13.7	14.6	16.0	17.5	19.0
1: 4	16	13.6	14.6	15.9	17.4	18.8
1: 5	17	13.5	14.5	15.8	17.3	18.7
1: 6	18	13.4	14.4	15.7	17.2	18.6
1: 7	19	13.4	14.3	15.7	17.2	18.5
1: 8	20	13.3	14.3	15.6	17.1	18.5
1: 9	21	13.3	14.2	15.5	17.0	18.4
1:10	22	13.3	14.2	15.5	17.0	18.3
1:11	23	13.2	14.2	15.4	16.9	18.3
2: 0	24	13.2	14.1	15.4	16.9	18.2
WHO Child Growth Standards						

Note: If a child aged less than 2 years is measured standing up, change the height to length by adding 0.7 cm BEFORE calculating BMI, because the BMI-for-age for Birth to 2 years is based on length. For children 2 to 5 years measured lying down, convert length to height by subtracting 0.7 cm BEFORE calculating BMI for application of the BMI-for-age chart.